

Gun RACK

CREATIONS WOODSHOPCLASS

WWW.YOUNGFOUNDATIONS.ORG/CREATIONS



WHAT'S IN YOUR PACKET?

Lesson for teacher use.....page 2

Gun Rack Tutorial.....pages 3-5

CLASS NAME: *Gun* RACK

Start class with a word of prayer.

SCRIPTURE

For where your treasure is, there will your heart be also.

MATTHEW 6:21

MORAL PARABLE: *Never put anything before the Lord!*

QUOTE

“He was the Word, and He’s still the Word. Always was the Word, and He remains the Word. And look back, they could have seen That, but they didn’t.

They were, notice, on the road over. They were what? (The ones sitting here, I want you to pay close attention.) They were talking about Him when He appeared to them.

Now, that’s the way He comes, is when you are talking about Him. The trouble, today, we talk about so many other things besides Him. We always talking about what we got to do, and some business deal, or the washing has got to be done, or this kind of detergent you ought to use. When, you ought to be giving Him praise and glory. “There is where our treasures is, there our heart is also.”

**Rev. William Marrion Branham
64-0416 And When Their Eyes Were Opened, They Knew Him**

QUOTE MINUTE MARKER: *28:42-29:26, PARAGRAPH 80-82*



GUN RACK

Tutorial

MATERIALS NEEDED:

assorted wood
wood glue
finish (ex: mineral oil)
1/4" dowel rod (optional)

TOOLS NEEDED:


safety glasses
measuring tape
pencil
sand paper
pin nail gun
clamps
bandsaw
table saw

CUT LIST:

Back slats: 2 pieces 2 1/2" wide x 27" long x 3/4" thick

Sides: 2 pieces 5" wide x 9" long x 3/4" thick

*Parental assistance recommended.



Cut both side pieces into a "J" shape.

Note: If you want your gun to sit level on the rack, the side that holds the barrel needs to be notched higher, depending on the gun.



Sand out saw marks on both side pieces.




Glue and pin nail one back slat flush with the top of one side.



Mark 2 1/4" down on the side from the bottom of the glued slat. Glue and pin nail the other slat to this mark.



Glue and pin nail the other side to the other end of the slats.



Drill holes, glue, and tap in 1/4" x 1" dowel rods where the sides and back slats meet. This is for added strength and appearance. Be careful not to drill into any pin nails.



6. Sand the entire gun rack and apply finish.

NOTE: Gun rack can be used to hold a BB gun, 22 rifle, or a bow.

You're finished!

